

SELECT



**LUXURY VINYL PLANK & TILE**

**TAJ** FLOORING  
GLOBAL MANUFACTURING, LOCAL SERVICING





*Feline*

Soft muted wood grain with substantial color variation within the pattern.  
Lots of personality, a bit unpredictable.

TAJ-6065F Siamese



TAJ-6064F Siberian | 7" x 48"



TAJ-6065F Siamese | 7" x 48"



TAJ-6066F Burmese | 7" x 48"





*Canine*

Traditional and true. Strong and steady.  
Time tested wood design ready for any application.

TAJ-6070F Husky



TAJ-6068F Greyhound | 7" x 48"



TAJ-6069F Boxer | 7" x 48"



TAJ-6070F Husky | 7" x 48"





## *Equine*

Big and bold wood pattern with unexpected depth of color layering.  
Beauty with an underlying sense of power and purpose.

TAJ-6060F Welsh



TAJ-6060F Welsh | 7" x 48"



TAJ-6061F Palomino | 7" x 48"



TAJ-6062F Hackney | 7" x 48"



TAJ-6063F Arabian | 7" x 48"





## *Plaster*

Large scale tonal pattern that lends itself easily to areas where an abstract stone visual is called for.

TAJ-2604G Milano



TAJ-2603G Roma | 17.72" x 35.43"



TAJ-2604G Milano | 17.72" x 35.43"



TAJ-2605G Palermo | 17.72" x 35.43"










TAJ-8019H Morrison | 6" x 36"



TAJ-8020H Hendrix | 6" x 36"



TAJ-8021H Zeppelin | 6" x 36"



*Sho Sugi Ban*  
A variety of flame treated wood patterns deliver a unique twist to the appearance of traditional wood visuals.  
This design approach is blazing the trail.

TAJ-8020H Hendrix





TAJ-5502H Rustic Strip Cream | 6" x 36"



TAJ-5503H Rustic Strip Multi | 6" x 36"





*Linear*

Pattern that reads as wood but brings a decidedly modern and clean feel to the spaces where it is used due to its linear accents.


TAJ-6025F Rosewood



TAJ-6025F Rosewood | 7" x 48"



TAJ-6026F Blackbean | 7" x 48"



TAJ-6032F Coccobolo | 7" x 48"





TAJ-8018H Vaughan



TAJ-8016H King | 6" x 36"



TAJ-8017H Clapton | 6" x 36"



TAJ-8018H Vaughan | 6" x 36"






**NVL-2401 Gunmetal | 36" x 36"**



**NVL-2402 Pewter | 36" x 36"**



**MAE-3034 Chromium | 18" x 18"**



**MAE-3035 Nickel | 18" x 18"**



**MAE-3036 Carbon | 18" x 18"**





TAJ-5501H Rigid Strip Brown | 6" x 36"



TAJ-5500H Rigid Strip Gray | 6" x 36"



NVF-2533 Dove Gray | 7" x 48"



NVH-2701 River Birch | 6" x 36"



TAJ-8024H Manilow | 6" x 36"




TAJ-8023H Jones | 6" x 36"



TAJ-8022H Adele | 6" x 36"






TAJ-5507H Ember Pine | 6" x 36"



TAJ-5506H Natural Pine | 6" x 36"



TAJ-5508H Gray Pine | 6" x 36"



TAJ-5505H White Pine | 6" x 36"



TAJ-6072F Silver Birch | 7" x 48"



TAJ-6071F Merbau | 7" x 48"



TAJ-6067F Wild Walnut | 7" x 48"



TAJ-6024F Stonehenge | 7" x 48"





NVH-2732 Old Oak | 6" x 36"



WAF-2413 Canyon | 7" x 48"



NVF-2501 Wynwood | 7" x 48"



WAF-5135 Mahogany | 7" x 48"



TAJ-4500F Traditional Oak | 7" x 48"



NVF-2534 Limed Wood | 7" x 48"



NVF-2532 Dusky Gray | 7" x 48"



WAF-5136 Foxtail | 7" x 48"







## Technical Specification Information

**Classification:** ASTM F1700 Class III, Type A (Smooth)  
Type B (Embossed)

**Overall Thickness:** 3.0mm, .118", Nominal 1/8"

**Dimensions:**

Plank: 6" x 36", 7" x 48"

Tile: 18" x 18", 17.72" x 35.34", 36" x 36"

**Wear Layer Thickness:** 0.5mm, 20mil

**Wear Layer:** High Molecular Weight Polymerized Vinyl

**Finish:** Protech UV Cured Polyurethane

**Edge Detail:** Square Edge (no bevel)

**Warranty:** 20 Year Commercial Warranty

**Maintenance:** Requires no wax, no stripping, no buffing or the use of toxic chemicals

**Static Load Limit:** ASTM F970 modified, passes at 1,100 psi, residual compression maximum 0.005"

**Chemical and Stain Resistance:** ASTM F925, No surface dulling, surface attack or color change with 5% acetic acid, 70% isopropyl alcohol, mineral spirits, 5% sodium hydroxide, 5% hydrochloric acid, 5% ammonia, bleach, 5% phenol, gasoline, sulfuric acid, kerosene, and olive oil.

**Slip Resistance:** ASTM C1028-89, >0.6

**Flame Spread:** ASTM E648, >.45, Class 1

**Smoke Density:** ASTM E662, <450

**Low Emitting Flooring:** LEED IEQ4.3

**Low Emitting Adhesives:** LED IEQ4.1

**Recycled Content:** Post Consumer and Post Industrial Recycled Content Present\*

**Indoor Air Quality:** CHPS 1350 Certified

**Indoor Air Quality:** FloorScore Certified

**Plant Certifications:** ISO14001, ISO9001

**Trade Agreements Act (TAA) Compliant**



Scan to view this collection online and to order samples, or get connected with our team for more assistance.



For details on Health and Environmental Product Declarations, email request to: [info@tajflooring.com](mailto:info@tajflooring.com)

For complete specifications and technical support documents, visit [tajflooring.com](http://tajflooring.com).



740 Church Road, Elgin, IL 60123  
(888) 652-2111 | [tajflooring.com](http://tajflooring.com)