

NEW
HONEY TONES

SELECT LUXURY VINYL PLANK & TILE

Today's transitional environments blend the old with the new, combining traditional surfaces that never go out of style and can be paired effortlessly with interior décor and design choices. Honey-colored, wood-look luxury vinyl flooring provides a reinvented solution offering visual integrity with unmatched functionality.

SELECT LUXURY VINYL PLANK & TILE



TAJ-9122 Camelback | 7" x 48", 3MM/20MIL



TAJ-9124 Cane | 7" x 48", 3MM/20MIL



TAJ-9123 Cortez | 6" x 36", 3MM/20MIL



TAJ-9125 Corrugate | 7" x 48", 3MM/20MIL

Color and shading of product images to sample may vary. Viewing actual samples is recommended.



Scan the QR code to explore the full collection of **Select Luxury Vinyl Plank & Tile**, and try our **Visualizer** feature to view TAJ flooring designs in your space.

Select Luxury Vinyl Plank & Tile products are manufactured with a high molecular weight polymerized vinyl wear layer supported by a high-strength vinyl backing. Incorporated into the wear surface during the manufacturing process, Select tiles and planks are built with a Protech® UV-cured polyurethane finish which provides a protective anti-soil coating eliminating the need for floor finishes and improves hygiene and chemical resistance.

Overall Product Thickness	3.0MM, 0.118", Nominal 1/8"
Wear Layer Thickness	0.5MM (20mil)
Wear Layer Construction	High Molecular Weight Polymerized Vinyl
Wear Layer Finish	Protech UV-cured Polyurethane
Edge Detail	Square edge, no bevel
Warranty	20 Year Commercial
ASTM F1303 Product Classification	Class III, Type A (smooth), Type B (embossed)
ASTM E648 Fire Resistance	Class 1 > 0.45
ASTM E662 Smoke Density	<450, Flaming/Non-Flaming
ASTM F970 (modified) Static Load	1100 psi
ASTM C1028-89 Slip Resistance	> 0.6 per ADA
Chemical & Stain Resistance	Excellent
VOC Emission	Negligible
FloorScore® Certified	Yes
LEED	MR4, IEQ4.1, IEQ4.3
Recycled Content	100% Virgin Material, Phthalate-Free (no recycled content)
Plant Certifications	ISO14001, ISO9000
Installation	Apply with recommended adhesive referenced in the full technical specification. Prior to installation, reviewing our Installation Instructions Guide is strongly advised.
Maintenance	Requires no wax, no stripping, no buffing or the use of toxic chemicals
Packaging	Available in the full technical specification.



SCAN TO ACCESS TECHNICAL INFORMATION
Including full warranty, installation and maintenance guides, certifications and more.

Trade Agreements Act (TAA) Compliant

VIEW OUR COLLECTION ON



tajflooring.com

Get connected with our team for assistance and order samples for your future project.

(888) 652-2111 | info@tajflooring.com

